

75 INCH SMART INTERACTIVE PANEL

HIFP75-0432Y



Product Features

- Perfect 4K resolution
- Industrial grade aluminum frame
- 4mm thickness Anti-Glare glass
- 15Wx2 Speaker
- <5ms Response
- Password / Pattern Lock protected
- Infrared touch technology for rich writing experience



Smarter Collaboration From Classroom to Conference Room

The new 4K Interactive Panel lineup delivers stunning clarity, smooth multi-touch precision, and fast connectivity. With built-in Android OS, wireless screen sharing, and powerful audio, it transforms classrooms and meetings into truly interactive spaces enhancing how teams collaborate and how students learn.




Intelligent Writing. Effortless Precision.

With built-in OCR and Shape Recognition, the panel converts handwriting into editable text and perfect shapes in real time. The integrated Geometry Box tools make drawing angles, circles, and lines effortless creating a smooth, accurate, and interactive writing experience for both teachers and students.

Seamless Multi-Touch Interaction

With advanced multi-touch support and palm rejection, multiple users can write, draw, and interact simultaneously. Stylus support ensures precise annotations and smooth collaboration.






Powerful Audio. Professional Communication.

Experience immersive, room-filling sound with dual built-in 15Wx2 stereo speakers. Engineered for crystal-clear voice reproduction and balanced stereo performance.

Powerful Connectivity & Software

Connect effortlessly with wireless screen sharing, multiple USB, HDMI & Type-C Ports. Compatible with Android and Windows, the panel comes with preloaded apps for whiteboarding, browsing, and interactive learning.



Specifications:

DISPLAY

Screen Size and Resolution	75" 4K/3840x2160
Bezel color	Aluminum frame(Black & Grey color)
Back Light	Direct type LED
Active area (mm)	1649.66 x 927.93
Resolution	3840 x 2160 /UHD
Aspect Ratio	16:9
Contrast Ratio	1200:1/4000:1
Colors	1.07 billion colors
Brightness	350cd/m2
Viewing angle	178°
Glass hardness	Mohs-7 level
Screen surface	4mm thickness Anti-Glare glass

INTERACTIVITY

Touch technology	IR touch
Touch points	40 touch points (Windows) 20 touch points (Android)
Touch accuracy	±2mm
Recognition	Finger or passive stylus
Response Rate	<4ms (single touch) <10ms (max touch inputs)
Minimum object size	2mm
Response Time	<5 ms
Windows OPS Slot	OPS
Hotspot	Yes



An ISO 9001:2008 Certified Company

Bluetooth
WiFi
System support

V 5.0
WiFi 5
Win11/Win10/Win8/Win7/Mac OS /Android
/Chrome OS/Linux

COMPUTING

Operating System
CPU
GPU
RAM
ROM
Compliance

Android 14.0
8×ARM Cortex-A55
Mali-G52 MC2
4GB
32GB
Windows; Mac; Linux; Chrome OS

CONNECTIVITY

Front ports

Front Button

Speaker
Rear Side ports

USB3.0 x 3 (Public), Touch out USB type B x 1,
HDMI in 2.0 x 1, Type C x 1
Indicator: Red/Blue, Light Sensor,
Screen Record/Ratio/V- / V+/Setting/ES/Power (ECO)
15W x 2
Earephone x 1
RJ45 in x 1
MIC IN x 1
HDMI in 2.0 x 2
Touch out USB 2.0 x 1 (Type B)
RS232 x 1
USB 2.0 x 2 (Type A)
COAX OUT x 1



An ISO 9001:2008 Certified Company

PHYSICAL SPECIFICATIONS

Net Weight/(kg±2)	45.8
Gross Weight/(kg±2)	57.5
Overall size(mm) (without bracket)	1706 x 1012.1 x 115.8
Overall size(mm) (with bracket)/(L*H*W)	1706 x 1012.1 x 145.8
Carton size(mm)/(L*H*W)	1820 x 1130 x 185
VESA(mm)	600 x 400

ELECTRICAL

Input Voltage	170-264V AC
Power Consumption Standby	<0.5W
Power Consumption	Maximum < 300W

ENVIRONMENTAL

Working Temperature	0° ~ 40°
Storage Temperature	-20° ~ 60°
Working Humidity	10% ~ 80% RH
Storage Humidity	10% ~ 90% RH

ACCESSORIES

Accessories	Pen 2pcs, 2m power cord 1pcs, Wall mount kit;
-------------	---



An ISO 9001:2008 Certified Company