


HC-DG40T-4G



Viewing
Angle

P2P

Technology



Cloud
Storage



Night Vision



Motion
detection



Two Way
Audio



MicroSD
Support

Product Features

- ≥ 4G Dome Camera
- ≥ HD 4.0 Mega Pixels CMOS 2560*1440P
- ≥ Support two way audio
- ≥ Support Human Body Detection & Motion Detection
- ≥ Support Full Color Night Vision
- ≥ Support Smart Siren
- ≥ Support Sound Detection
- ≥ Support mirco SD card up to 256GB
- ≥ H.265
- ≥ IPV4/IPV6
- ≥ Support Amazon Alexa, Google assistant.
- ≥ Cloud Storage/SD Storage
- ≥ Power Supply: 5V 1.5A



An ISO 9001:2008 Certified Company



4MP 4G Dome Camera

Connect with 4G to have a hassle-free camera connection


4G Connect

Hixecure camera does not even need to be installed; all you need to do is mount it plug it in, connect to the 4G network, and you are ready to go.



Supports all Indian 4G sim cards:





4MP Full HD Video Recording

Designed to reflect an improved picture quality in Full HD video, preventing pixilation in the video feed and allowing for a clear view of every detail.




Motion Detection

Camera recognises human detection and intelligent notifications, so you will only receive a warning when it is necessary. If there is enough variation between frames, a camera will turn on automatically.

Day/Night Mode

Color video is captured by the camera in conditions of normal lighting. In low light and complete darkness, the camera records black and white video






MicroSD Card Support

Use a MicroSd Card to record your video; it can support up to 2560B of data.

Two Way Audio Communication

Allows you to communicate with your loved ones wherever you are, which includes using a phone to talk while watching a live video feed.



Applications



Specifications :

Video/Audio

Resolution	2560*1440 (4MP)
Field Of View	98.9°
Lens	HD 4mm ,Aperture: F1.6
Infrared Light	12 pcs *850nm Dual Light
Night vision	support(15-20m), IR Infrare night vision, Full Color Night Vision
Signal to noise ratio	≥52dB
Video processing	Automatic gain, AWB, AWC, 3D digital noise reduction, DWDR
Encoding	H.265
Audio input	Built-in -38dB noise reduction microphone
Audio output	Built-in 8 ohm 2W high-fidelity speaker

Other

4G	LTE FDD/LTE TDD/WCDMA/TD-SCDMA
Storage way	Micro SD card/ cloud storage
Local storage	SD Card (Max up to 256G) (SD card not included)
Power	5V/1.5A
Application	HF SMART VIEW (Android & iOS)
Dimension	101x 87.5mm



Camera Weight	211.00g
Working Temperature	-10 C N+50 c
Working Humidity	≤95%RH



An ISO 9001:2008 Certified Company