

HC-DS8800N3



Product Features

- ≥ 8MP @15fps High resolution, true color
- ≥ AHD / TVI / CVI lossless HD video output
- ≥ Support 960H CVBS output
- ≥ Up to 1700TVL resolution
- ≥ CMOS progressive scan, perfectly capturing the moving object Support OSD menu
- ≥ High speed, long distance and real time transmission
- ≥ Support noise reduction function
- ≥ 30m IR night view distance
- ≥ Support coaxial audio transmission
- ≥ Support COC
- ≥ IP67



An ISO 9001:2008 Certified Company

Specifications :

CAMERA

Image Sensor	1/ 2.7" CMOS
Resolution	8 MP
Image Size	3840 x 2160
Video Output	AHD/TVI/CVI/CVBS
Image System	PAL/NTSC
Electronic Shutter	Auto
IR Distance	30m
Frame Rate	15fps (60Hz); 12.5fps (50Hz)
Min. illumination	Color : 0.01 lux@F1.2, AGC ON; B/W : 0 lux with IR
Lens	2.8mm, horizontal field of view: 107°
Lens Mount	M12
S / N Ratio	≥52dB (AGC OFF)
Ingress Protection	IP67

FUNCTIONS

Function Control	OSD (COC Control)
Smart LED	Manual or Auto mode
ICR	No
Digital WDR	Supported
Digital DNR	2D DNR
AGC	Supported
Auto White Balance	Supported
BLC	Supported
HLC	Supported
Sharpness	Supported
Contrast	Supported



An ISO 9001:2008 Certified Company

Image Setting

Yes

Defect Correction

Auto

Language

English

Angle Adjustment

Pan: 0°~360° ; Tilt: 0°~90°; Rotation: 0°~360°

OTHERS

Power Supply

DC 12V (± 15%)

Power Consumption

IR Off : < 1W ; IR On : < 4W

Working Environment

-30°C ~ 50° C, 10% ~ 90% (relative humidity)

Dimensions (mm)

Φ 94.6 x 82.8

Weight (net)

Approx. 0.41KG



An ISO 9001:2008 Certified Company